

## **Mercury 4HP Four Stroke**

\$2,326



HP / kW

Engine type

Displacement (CID/CC)

**Full throttle RPM** 

Fuel induction system

Alternator amp / Watt

Recommended fuel Recommended oil

Engine protection operator

warning system

Starting

Steering

**Shaft length** 

Gearcase ratio

Dry weight

**CARB** star rating

Bore and stroke

Ignition

Fuel system

**Cooling system** 

Gear shift

**Gearcase options** 

**Trim positions** 

Exhaust system

Shallow water drive Shallow water trim range

(degrees)

- 4/2.9
- 1 cylinder
- 7.5 / 123
- 4500-5500
- 2-valve pushrod (overhead valve)
- 4 lighting / 2 charging amp / 50 lighting / 25 charging watt (Optional)
- 87% octane / up to 10% ethanol
- Mercury FourStroke Oil 10W-30
- Low oil pressure
- Over-rev
- Manual
- Tiller
- 15"/381 mm
- 20"/508 mm
- 2.15:1
- 57 lbs / 26 kg
- 3
- 2.32 x 1.77" / 59 x 45 mm
- CDI w/electronic spark advance
- Carbureted
- Water-cooled with thermostat
- F-N-R
- Standard
- 6
- Through prop
- Yes
- 16

Optional fuel tank (gal / L)

• 3.2 / 12
• Phantom Black