

Mercury 4HP Four Stroke

\$2,326



HP / kW	<ul style="list-style-type: none"> • 4 / 2.9
Engine type	<ul style="list-style-type: none"> • 1 cylinder
Displacement (CID/CC)	<ul style="list-style-type: none"> • 7.5 / 123
Full throttle RPM	<ul style="list-style-type: none"> • 4500-5500
Fuel induction system	<ul style="list-style-type: none"> • 2-valve pushrod (overhead valve)
Alternator amp / Watt	<ul style="list-style-type: none"> • 4 lighting / 2 charging amp / 50 lighting / 25 charging watt (Optional)
Recommended fuel	<ul style="list-style-type: none"> • 87% octane / up to 10% ethanol
Recommended oil	<ul style="list-style-type: none"> • Mercury FourStroke Oil 10W-30
Engine protection operator warning system	<ul style="list-style-type: none"> • Low oil pressure • Over-rev
Starting	<ul style="list-style-type: none"> • Manual
Steering	<ul style="list-style-type: none"> • Tiller
Shaft length	<ul style="list-style-type: none"> • 15" / 381 mm • 20" / 508 mm
Gearcase ratio	<ul style="list-style-type: none"> • 2.15:1
Dry weight	<ul style="list-style-type: none"> • 57 lbs / 26 kg
CARB star rating	<ul style="list-style-type: none"> • 3
Bore and stroke	<ul style="list-style-type: none"> • 2.32 x 1.77" / 59 x 45 mm
Ignition	<ul style="list-style-type: none"> • CDI w/electronic spark advance
Fuel system	<ul style="list-style-type: none"> • Carbureted
Cooling system	<ul style="list-style-type: none"> • Water-cooled with thermostat
Gear shift	<ul style="list-style-type: none"> • F-N-R
Gearcase options	<ul style="list-style-type: none"> • Standard
Trim positions	<ul style="list-style-type: none"> • 6
Exhaust system	<ul style="list-style-type: none"> • Through prop
Shallow water drive	<ul style="list-style-type: none"> • Yes
Shallow water trim range (degrees)	<ul style="list-style-type: none"> • 16

Optional fuel tank (gal / L)
Color

- 3.2 / 12
- Phantom Black