Mercury 6HP Four Stroke

\$2,634



HP/kW

Engine type

Displacement (CID/CC)

Full throttle RPM

Fuel induction system

Alternator amp / Watt

Recommended fuel

Recommended oil

Engine protection operator warning system

Starting

Steering

Shaft length

Gearcase ratio

Dry weight *Lightest model available

CARB star rating

Bore and stroke

Ignition

Fuel system

Cooling system

Gear shift

Gearcase options

Trim positions

Exhaust system

Shallow water drive

Shallow water trim range (degrees)

Integrated fuel tank (gal / L)

Optional fuel tank (gal / L)

- 6/4.4
- 1 cylinder
- 7.5 / 123
- 5000-6000
- 2-valve pushrod (overhead valve)
- 4 lighting / 2 charging amp / 50 lighting / 25 charging watt (Optional)
- 87% octane / up to 10% ethanol
- Mercury FourStroke Oil 10W-30
- Low oil pressure
- Over-rev
- Manual
- Tiller
- 15"/381 mm
- 20" / 508 mm
- 2.15:1
- 57 lbs / 26 kg
- 3
- 2.32 x 1.77" / 59 x 45 mm
- CDI w/electronic spark advance
- Carbureted
- Water-cooled with thermostat
- F-N-R
- Standard
- 6
- Through prop
- Yes
- 16
- 0.3 / 1.1
- 3.2 / 12

Color